

Product Name :
Asphalt Standard Viscometer

Product Code :
TEST5081RFQLAB-0007



Description :

Asphalt Standard Viscometer

Technical Specification :

Asphalt Standard Viscometer is intended for testing the viscosity of liquid bitumen, coal pitch and flowing emulsified bitumen.

Technical Parameters

Power: AC 220V±10%, 50Hz

Circular tank: (1) Inner diameter: 160mm

(2) Depth: 116mm

Sample tube: 4 pieces in a set. The diameter of effuse tube are: 10mm±0.025mm, 5mm±0.025mm, 4mm±0.025mm and 3mm±0.025mm.

Ball plug specification: A: Diameter of ball: 12.7mm±0.05mm; Sign height: 92mm±0.25mm

B: Diameter of ball: 6.35mm±0.05mm; Sign height: 90.3mm±0.25mm

Temperature controlling range: 20~90

Temperature controlling accuracy: ±0.1

Timing resolution: 0.1~999.9s

Heating type: PTC tube electric heater (heating power is 750W)

Working temperature: -10~35

Relative humidity: 85%

Dimension: length 420mm, width 340mm, height 570mm

Maximum power consumption: 800W

We are a leading manufacturers of Asphalt Standard Viscometer testing equipment for a range of industries, including materials science testing lab. We offer full range of Asphalt Standard Viscometer testing equipment, including Asphalt Standard Viscometer testing kit, Asphalt Standard Viscometer testing machine, Asphalt Standard Viscometer testing tools, Asphalt Standard Viscometer test equipment, Asphalt Standard Viscometer test machines, Asphalt Standard Viscometer for Lab Testing Instruments. We are suppliers of materials testing tools and equipment for the construction industry. Our mission is to provide reliable, accurate, and easy-to-use Asphalt Standard Viscometer testing equipment that helps customers build better, safer, and more sustainable infrastructure.



Testing lab instruments India